



MAYEKAWA NEW STANDARD HEAT PUMP

PLUS+HEAT



The **MAYEKAWA Plus+HEAT**


product belongs to the **MAYEKAWA 'NATURAL 5'** program, and introduces herewith a new generation of energy saving equipment, using the **MAYEKAWA N6HK** high pressure compressor (50 bar) with natural refrigerant NH_3 (GWP=0).

The **MAYEKAWA Plus+HEAT** unit can produce hot water maximum 85 °C by using different heat sources such as condenser heat from existing refrigeration plants, waste heat from industrial plants, renewable geothermal energy, and many more.

The **MAYEKAWA Plus+HEAT** system directly contributes to fossil fuel reduction, what means also CO_2 emission reduction resulting in fuel- and CO_2 emission cost reduction. Additional energy savings are possible by applying frequency invertors for compressor speed control for high efficiency operation.

The **MAYEKAWA Plus+HEAT** unit is design compact with small footprint and maintenance friendly so that contracting work at site is minimized.


Dimension of **PLUS+HEAT**



HEAT SOURCE			WATER					REFRIGERANT(NH3, HCFC22, ETC)			
Refrigerant			Ammonia (R717)								
Type			PH-W85	PH-W105		PH-W125 ¹⁾		PH-R85	PH-R105		PH-R125
Outlet Hot Water Temperature		°C	65	70	75	80	85	65	70	75	80
Capacity	Heating Capacity	kW	471	458	444	430	487	471	458	444	430
	Required Capacity of Heat source	kW	399	377	356	334	378	399	377	356	334
	Absorbed Power	BkW	73	81	89	96	109	73	81	89	96
	C.O.P heating	-	6,5	5,7	5,0	4,8	4,5	6,5	5,7	5,0	4,8
Power Supply			400V 3φ 50Hz/200V 1φ 50Hz					400V 3φ 50Hz/200V 1φ 50Hz			
Type of Compressor			N6HK (Receiproating Compressor)					N6HK (Receiproating Compressor)			
Motor Power ²⁾		kW	85	105	105	125	125	85	105	105	125
Starter			your selection					your selection			
Recommendable oil			Standard: Mobil SHC228 other applicable oil: Kluber-Summit RHT100								
Evaporator	Type		Shell & Plate type heat exchanger					Shell & Plate type heat exchanger			
	Temperature of Heat Source	°C	40/35	40/35	40/35	40/35	45/40	-	-	-	-
	Flow rate of Heat source	m³/h	68,6	64,9	61,1	57,4	65,0	-	-	-	-
	Condensing temperature of Heat source	°C	-	-	-	-	-	32	32	32	32
Condenser	Type		Shell & Plate type heat exchanger					Shell & Plate type heat exchanger			
	Temperature of Hot water	°C	60/65	65/70	70/75	75/80	80/85	60/65	65/70	70/75	75/80
	Flow rate of hot water	m³/h	81,1	78,8	76,4	73,9	83,7	81,1	78,8	76,4	73,9
Dimension	Wide W)	mm	1000					1000			
	Length (L)	mm	3795					3795			
	Height (H1) Unit	mm	2000					2000			
	Height (H2) Starter	mm	2200					2200			
	Weight	kg	-	-	-	3600		-	-	-	-

1) Available 2) In case of IPM motor; you can choose an other type of motor

Note: Above this specification is subject to change without notice



WORLDWIDE

- 47 countries / 99 offices
- 11 production plants



MAYEKAWA EMEA Organization

ABU DHABI

Ali & Sons Business Center Office No. 201
Ali Khalfan Rashed Al Mutawa Al Dhahiri Bldg.
Plot no 29, Al Ain Road, Umm Al Nar
Tel. +971 2 5102151
Fax +971 2 5102571

DENMARK

Lindholm Havnevej 29, 5800 Nyborg
Tel. +45 31929000
Email: contact@mayekawa.dk

DUBAI

P.O. Box 61349, W-HOUSE
No. RA-08-UC05
Jebel Ali Free Zone Dubai, UAE
Tel. +971 4 8886363
Fax +971 4 8886373

EGYPT

New Cairo, 5th Settlement
North 90th St.
The 47th Building
Tel. +20 22 5062925
Fax +20 22 5032901

FRANCE (representative agent) Siège social

8, rue des Fontenelles
44140 Le Bignon
Tel. +33 1 30 582600
Fax +33 1 30 581937
<http://www.mayekawa.eu/fr>
E-mail: mayekawa.france@mayekawa.eu

South East Branch Office Refrigerant Division

Rue François Coli - Bâtiment H
33290 Blanquefort
Tel. +33 1 30 582600

West Branch Office Food Processing Division

20, Rue Ampère
22590 Pordic
Tel. +33 1 30589795
Fax +33 1 30581937

GERMANY Mayekawa Deutschland GmbH

Zum Buckesch 7a
48336 Sassenberg-Füchtorf
Tel. +49 (0) 5426 2989920

Vertrieb BRD/Österreich

Tel. +49 151 42628055
<http://www.mayekawa.de>
Email: info@mayekawa.de

HUNGARY

Mayekawa Hungary Engineering Kft

Köbányai út 10/A
2049 Diósd,
Tel. +36 23 545712
Fax +36 23 545715
<http://www.mayekawa.eu>
E-mail: hungary@mayekawa.eu

ITALY

Milan Office
Via Riccardo Lombardi 19/12
20153 Milano
Tel. +39 2 48929218
Fax +39 2 4531728

Bologna Office

Via Pradazzo 7 40012
Calerara di Reno
Tel. +39 51 726364
Fax +39 51 726804

MOROCCO

6, Allée des Cyprès
20250 Casablanca
Tel. +212 600 041241

POLAND

ul. Druskiennicka 8/10
60-476 Poznan
Tel. +48 61 8420738
Fax +48 61 8485837

SOUTH AFRICA

West End
Unit 3 Prime Park
Printers Way
Montague Gardens 7441
Tel. +27 21 5511434
Fax +27 86 5463618

SPAIN

Calle Montevideo 5, Nave 13 Pol.
Industrial Camporroso 28806
Alcala de Henares, Madrid Tel.
+34 91 8300392
Fax +34 91 8300397
<http://www.mayekawa.es>
E-mail: mayekawa@mayekawa.es

SWITZERLAND

Rosenbergstrasse 31
6300 Zug
Tel. +41 41 7268626
Fax +41 41 7268620
<http://www.mayekawa.ch>
E-mail: info@mayekawa.ch

TURKEY

Dünya Ticaret Merkezi
A/2 Blok Kat: 10 No. 325
Yeşilköy
Istanbul
Tel. +90 212 46536 31- 34
Fax +90 212 4653635

UKRAINE

Golosivska Street 17
Office 110
03039 Kiev
Tel. +38 (044) 251-46-62

UNITED KINGDOM


16 Oakhurst Gardens
DA7 5JP Bexleyheath, Kent
Tel. +44 1322 433558
Fax +44 1322 433164

Japan Head Office

3-14-15 Botan Koto-ku
Tokyo 135 8482, JAPAN
Tel. 81 3 3642 8181
Fax 81 3 3643 7094
E-mail e-public@mayekawa.co.jp

MAYEKAWA Europe nv/sa

Leuvensesteenweg 605
1930 Zaventem - Belgium
Tel. +32 2 7579075
Fax +32 2 7579023
<http://www.mayekawa.eu>
E-mail info@mayekawa.eu



Global web site <http://www.mayekawa.com/>